

SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

Novalis Innovative Flooring

200 Munekata Dr. SE, Dalton, GA, United States

For the following product(s):

Vinyl Tile:

CN Luxury Vinyl Tile (LVT), CN Loose Lay LVT (LLT), CN Acoustical Loose Lay LVT (ALLT), CN Flexible LVT Click (5G), CN High Density Core (HDC) Click with Underlayment, CN High Density Core (HDC) Click without Underlayment, CN High Performance Core (HPC) Click with Underlayment, CN High Performance Core (HPC) Click without Underlayment, US High Density Core (HDC) Click with Underlayment, US High Density Core (HDC) Click without Underlayment

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

FloorScore®

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.1

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m^3 (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Registration # SCS-FS-06121

Valid from: May 1, 2022 to April 30, 2023

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.



ANSI National Accreditation Board

ACCREDITED

ISO/IEC 17065

PRODUCT CERTIFICATION
BODY



A handwritten signature in black ink that reads "Stanley Mathuram".

Stanley Mathuram, PE, Executive Vice President
SCS Global Services
2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA