

SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

Lowe's

810 Technology Drive, Barnwell, SC, United States

For the following product(s):

See Addendum

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

FloorScore®

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.1

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m^3 (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Registration # SCS-FS-03986

Valid from: January 1, 2024 to December 31, 2024

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.



A handwritten signature in black ink.

Nicole Munoz, Vice President
SCS Global Services
2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA

Certification Addendum

Lowe's

Certification: Registration # SCS-FS-03986 | Valid from: January 1, 2024 to December 31, 2024

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.

Addendum **FloorScore®**

Conformance: Indoor Air Quality Certified to SCS-EC10.3-2014 v4.1

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Products: **Laminate Flooring:**

Allen & Roth: Lhotse Oak 12mm 2514239; Mountain Oak 12mm 2514240; Rona Oak 12mm 2514242; Reclaimed Oak 12mm 1965971; Hickory Medley 12mm 1965965; Weathered Oak 8mm 936284; Dark Walnut 8mm 435869; Osten Oak 8mm 1024071; Notching Chestnut 8mm 4139433

Project Source: Woodfin Oak 7mm 831560

Raven Ridge: Vintage Walnut 12mm 726597; American Walnut 12mm 561009; Paris Oak 12mm 422218; Argentine Sandalwood 12mm 561011; Silver Oak 12mm 561008; Antique Chestnut 12mm 726596

Special Buy: Caribbean Cherry 7mm 833413; Mountain Oak 7mm 808764; Garland Oak 10mm 833022; Reclaimed Rustic Oak 12mm 1435997

Stainmaster: Gunstock Oak 5460372, Shadow Pond Oak 5460366, Sunnyview Hickory 5460365, Ambleside Elm, 5460371, Halladay Oak 5460367

Stainmaster Pet Protect: Bittersweet Hickory 5460369, Lafayette Chestnut 5460373, Suffield Meadow Chestnut 5460363, Nayatt Point Hickory 5460374, Cheltenham Hickory 5460364, Mountain Laurel Maple 5460370, Pheasant Lane Oak 5460368

Style Selections: Aged Gray Oak 8mm 670343; Natural Acacia 8mm 528974; Saddle Pine 8mm 672924; Tavern Oak 8mm 528976; Chesterfield Hackberry 8mm 936283; Reclaimed Wood Medley 8mm 936282; Harbor Mill Oak 8mm 936285; Lodge Oak 8mm 1078809; Larimar Oak 8mm 1078811; Hampton Ash 8mm 1078810; Woodfin Oak 7mm 831560; Fulhman Oak 7mm 1965970; Ash



Certification Addendum

Lowe's

Certification: Registration # SCS-FS-03986 | Valid from: January 1, 2024 to December 31, 2024

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.

Addendum **FloorScore®**

Conformance: Indoor Air Quality Certified to SCS-EC10.3-2014 v4.1

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Products: Maple 7mm 4139430; Callis Hemlock 8mm 4139431; Hennigan Hickory 7mm 4139432